

Gas stove 700FX-G20



- ▶ Can be used as a table-top appliance or, in combination, as a floor-standing appliance
 - ✓ Pressure-tested stainless steel surface with Scotch-Brite finish
- ▶ 2 hobs
 - ✓ Dual circuit burner
 - ✓ Size of hobs: 400 x 300 mm
 - ✓ Hob distribution: 2 x 7.7 kW
- ▶ Set to natural gas E
 - ✓ Propane nozzles are enclosed

Description

This 2-flame gas stove from Series 700FX is extremely flexible. It can be used as a table-top appliance or, in combination, as a floor-standing appliance. Powerful and enduring: The two hobs have a burner power of 7.7 kW each and robust, enamelled cast iron grates.

Features

• Type:	Table-top unit
• Material:	CNS 18/10 Scotch-Brite sanding
• Gas type:	Natural gas E Propane nozzles are enclosed
• Gas burner:	Two-circle burner
• Power:	15,4 kW
• Important information:	-
• Ignition type:	Manual ignition
• Height-adjustable feet:	No
• Pilot flame:	Yes
• Properties:	Cast iron grille
• Distribution of hobs:	2 x 7.7 kW
• Large hobs:	400 x 300 mm
• Including:	4 feet
• Series:	700FX
• Operating mode:	Gas

▶ Continue on the next page

Gas stove 700FX-G20

- Type of hobs: Gas
- Number of hobs: 2
- Size: W 400 x D 730 x H 320 mm
- Weight: 20.2 kg



Gas stove 700FX-G20

Add on Products

Base unit 700FX-0400

CNS 18/10



- Internal dimensions of base unit: W 350 x D 590 x H 380 mm
- Sub-counter unit type: Open
- Series: 700FX
- Height-adjustable feet: Yes
- Height adjustable: 550 mm to 620 mm
- Material: CNS 18/10
Scotch-Brite sanding

Code-No. 283447
GTIN 4015613773629

Door 700FX-400

CNS 18/10



- Door hinge side can be changed: Yes
- Door hinge side: Left / right
- Material: CNS 18/10
Scotch-Brite sanding
- Important information: -
- Size: W 390 x D 110 x H 465 mm
- Weight: 3.5 kg

Code-No. 284970
GTIN 4015613797076

Device linking strip 700FX

CNS 18/10



- Material: CNS 18/10
Scotch-Brite sanding
- Size: W 10 x D 620 x H 10 mm
- Weight: 0.1 kg

Code-No. 284972
GTIN 4015613797083

Stainl.steel polish.spray 500ml can



- Content / can: 500 ml
- Application: Remove heavy soiling such as grease residue first
Do not spray onto hot surfaces
- allow them to cool down first:
- Application: Before use, bring the can to room temperature and shake well

Code-No. 173031
GTIN 4015613360195