

Front cooking station KST3240 Plus



- ▶ 1 placement niche
 - ✓ Work surface: W 1208 x D 600 mm
 - ✓ Designed for max.: 3 tabletop devices
- ▶ 5 sockets
 - ✓ 3 x 230 V
 - ✓ 2 x 400 V 16A CEE
- ▶ Integrated ventilation
 - ✓ With stainless steel flame protection filter
 - ✓ Switchable in 4 levels
- ▶ 4 GN containers
 - ✓ 1/9 GN, 100 mm deep
- ▶ Suitable for front cooking station KST3240 Plus
 - ✓ Platform 100 KST Plus
 - ✓ Platform 200 KST Plus

Description

Optimised mobile cooking station for a professional look in the front cooking field. From an induction cooker with 230V through to a solid griddle plate of the series 650 with 400V – With up to 3 tabletop units extremely flexible in the catering, event and front-cooking fields.

Features

- Material: CNS 18/10
- Designed for: 2-3 table-top units
- With glass top: Yes
- Important information: The connection cable must be attached by a specialist at the site
- Size glass superstructure: W 1475 x D 740 x H 345 mm
- Equipped with: Storage compartment below the setting niches, dimensions: W 1,200 x D 600 x H 150 mm
4 GN containers 1/9 GN, 100 mm deep for oils, sauces, cooking cutlery
Integrated electrical fuse
Integrated ventilation with flame protection filter
- Flame protection filter: Type A
- Number of niches: 1
- Dimensions of niche utility space: W 1,208 x D 600 mm
- Filter type: Activated carbon filter
Zeolit-filter
Flame protection filter
Wire mesh filter

▶ Continue on the next page

Front cooking station KST3240 Plus

- Number of filters: 3
 - Material filter: Stainless steel
 - Fan regulation: 4-level
 - Lighting: LED
 - Swivel casters: On the germ guard
 - ON/OFF switch: 4 swivel casters, 2 with brake
 - Control lamp: Yes
 - Not included in delivery: ON/OFF
 - Including: Electrical appliances
 - Plug design: Platforms
 - Equipment connection: Side work surfaces
 - Power load: Connection cable
 - Size: -
 - Weight: 3 x 230 V, 2 x 400 V 16A CEE
- Including: 3 NAC
 - Plug design: 24 kW | 400 V | 50 Hz
 - Equipment connection: W 1,520 x D 770 x H 1,263 mm
 - Power load: 146 kg
 - Size: -
 - Weight: -



Front cooking station KST3240 Plus

Add on Products

Multi-fryer 300



STAINLESS
STEEL



- Type: Table-top unit
- Power load: 3 kW | 230 V | 50-60 Hz
- Grease release tap: Yes
- Grease collection tank: No
- Equipment connection: Pluggable
- Temperature range: 50 °C to 300 °C
- Series: -

Code-No. 370205
GTIN 4015613653488

Electric stove 600, W600, 4PL, TU



CNS
18/10



- Power load: 8 kW | 400 V | 50 Hz
- Type: Table-top unit
- Material: CNS 18/10
- Important information: -
- Equipment connection: 3 NAC
- Properties: -
- Distribution of hobs: 4 x 2 kW

Code-No. 131734
GTIN 4015613310008

Cerane stove 600, 4 HTzones, TU



CNS
18/10



- Type: Table-top unit
- Material: CNS 18/10
- Important information: -
- Power load: 8 kW | 400 V | 50/60 Hz
- Properties: -
- Equipment connection: 3 NAC
- Distribution of hobs: 2 x 2,5 kW, 1 x 1,8 kW, 1 x 1,2 kW

Code-No. 131850
GTIN 4015613418209

Griddle plate 600, B600, smooth, HCP



CNS
18/10



- Heating zones can be controlled separately: Yes
- Power load: 7,2 kW | 400 V | 50 Hz
- Equipment connection: 3 NAC
- Type: Table-top unit
- Number of heating zones: 2
- Material roasting surface: Special steel, hard chrome-plated

Code-No. 132125
GTIN 4015613547589

Front cooking station KST3240 Plus Add on Products

Electric Bain Marie



CNS
18/10



- Type: Table-top unit
- Water connection: -
- Water drain tap: Yes
- Water supply tap: No
- Including: -
- Not included in delivery: GN containers
Intermediate bars

Code-No. 131770
GTIN 4015613310091

Electric range 650, B400, 2PL, TGOK



- Power load: 4,1 kW | 400 V | 50/60 Hz
- Equipment connection: 3 NAC
- Type: Table-top unit
- Distribution of hobs: 1 x 2,6 kW, 1 x 1,5 kW
- Height-adjustable feet: No
- Size hobs: 1 x Ø 220 mm, 1 x Ø 180 mm
- Properties: -

Code-No. 115006
GTIN 4015613697550

Deep fat fryer 650, B400, 10L, TGOK



- Grease collection tank: No
- Type: Table-top unit
- Material: CNS 18/10
- Size basket: W 163 x D 295 x H 110 mm
- Heating element in stainless steel: Yes
- Power load: 9 kW | 400 V | 50/60 Hz
- Series: 650 Snack

Code-No. 115214
GTIN 4015613697604

Neutral element 650, W400, TGOK



- Type: Table-top unit
- Series: 650 Snack
- Material: CNS 18/10
- Important information: Device without chimney - only suitable for use in the cooking station KST3240 Plus
- Size: W 400 x D 595 x H 330 mm
- Weight: 10.9 kg

Code-No. 115117
GTIN 4015613697598

Front cooking station KST3240 Plus

Add on Products

Griddle plate 600, B400, smooth



CNS
18/10



- Power load: 3,6 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Type: Table-top unit
- Number of heating zones: 1
- Material roasting surface: Special steel, hard chrome-plated
- Size heating surface: W 390 x D 440 mm
- Roasting surface design: Smooth

Code-No. 132115
GTIN 4015613547572

Bain Marie 600, W400, TU



CNS
18/10



- Power load: 1,4 kW | 230 V | 50 Hz
- Type: Table-top unit
- Number of tanks: 1
- Water drain tap: Yes
- Water supply tap: No
- Including: -

Code-No. 131760
GTIN 4015613310084

Countertop electric hob 1K3000 GL



CNS
18/10



- Power load: 3 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Number of hobs: 1
- Control lamp: yes
- Size cerane surface: W 350 x D 350 mm

Code-No. 104906
GTIN 4015613432540

Table top induction stove ITH 35S-220



CNS
18/10

3,5 kW



- Diameter hob(s): 220 mm
- Power load: 3,5 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Number of hobs: 1
- Control lamp: -
- Type of hobs: Induction
- Size cerane surface: W 290 x D 290 mm

Code-No. 105984
GTIN 4015613676623

Front cooking station KST3240 Plus

Add on Products

Griddle plate GDP 320E-G



- Power load: 3 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Type: Table-top unit
- Safety thermostat: Yes
- Temperature range: 50 °C to 300 °C
- Number of heating zones: 1
- Size heating surface: W 320 x D 480 mm

Code-No. A370031
GTIN 4015613370545

Griddle plate GDP 320E-R



- Power load: 3 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Type: Table-top unit
- Safety thermostat: Yes
- Temperature range: 50 °C to 300 °C
- Number of heating zones: 1
- Size heating surface: W 320 x D 480 mm

Code-No. 370035
GTIN 4015613610894

Induction wok 3kW, TU



- Power load: 3 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Type of hobs: Induction
- Series: -
- Control lamp: -

Code-No. 105840
GTIN 4015613468235

Induction cooker IK 35TC



- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Touch
- Number of hobs: 1

Code-No. 105843
GTIN 4015613633329

Front cooking station KST3240 Plus

Add on Products

Induction cooker IK 35TCS



- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Touch
- Number of hobs: 1

Code-No. 1058435
GTIN 4015613638300

Induction cooker IK 35SK 3,5kW



- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Power load: 3,5 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Number of hobs: 1

Code-No. 105837
GTIN 4015613520643

Cerane stove 600, 2 plates, TU



- Type: Table-top unit
- Material: CNS 18/10
- Important information: -
- Power load: 4,3 kW | 400 V | 50/60 Hz
- Properties: -
- Equipment connection: 3 NAC
- Distribution of hobs: 1 x 2,5 kW, 1 x 1,8 kW

Code-No. 131800
GTIN 4015613418193

Platform 200 KST Plus



- Important information: -
- Material: CNS 18/10
- Size: W 400 x D 595 x H 200 mm
- Weight: 7.4 kg

Code-No. 107277
GTIN 4015613684659

Front cooking station KST3240 Plus

Add on Products

Platform 100 KST Plus

CNS 18/10



- Material: CNS 18/10
- Important information: Designed for KST Plus / KST Eco cooking stations
- Size: W 400 x D 595 x H 100 mm
- Weight: 3.1 kg

Code-No. 107276
GTIN 4015613682549

Tray slide KST3240 Plus

CNS 18/10



- Including: Attachment material
- Material: CNS 18/10
- Important information: -
- Size: W 1,490 x D 345 x H 130 mm
- Weight: 4.4 kg

Code-No. 107278
GTIN 4015613695334

Side table KST Plus

CNS 18/10



- Including: Attachment material
- Important information: -
- Assembly side: Left
Right
- Material: CNS 18/10
- Size: W 700 x D 350 x H 80 mm
- Weight: 4.4 kg

Code-No. 107279
GTIN 4015613695341

Active carbon filter mat KST3240 Plus

- Material: Activated carbon
- Important information: One active carbon filter mat is contained in the cooking station KST3240 Plus
- Size: W 1,120 x D 445 x H 10 mm
- Weight: 0.21 kg

Code-No. 107273
GTIN 4015613681634

Front cooking station KST3240 Plus

Add on Products

Zeolite filter KST Plus



- Material: Zeolite
- Important information: There are 2 zeolite filters in the KST2200 Plus cooking station
There are 3 zeolite filters in the KST3240 Plus cooking station
- Size: W 462 x D 380 x H 16 mm
- Weight: 3.6 kg

Code-No. 107274
GTIN 4015613692326

GN container, 1/9 GN, D100

CNS
18/10



- Content: 1 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm

Code-No. A129100
GTIN 4016098169198

GN-container, 1/9GN,D100, Basic Line

CNS



- Content: 1 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 100 mm
- Gastronorm: 1/9 GN

Code-No. 719100
GTIN 4015613695914

Lid 1/9GN

CNS
18/10



- Spoon recess: No
- Silicone seal: No
- Surface: High-gloss
- Gastronorm: 1/9 GN
- Norm: EN 631
- Series: Top Line
- Important information: -

Code-No. A120649
GTIN 4016098169204

Front cooking station KST3240 Plus

Add on Products

Lid 1/9 GN, Basic Line

CNS



- Spoon recess: No
- Silicone seal: No
- Surface: Silk matt
- Gastronorm: 1/9 GN
- Norm: EN 631
- Series: Basic Line
- Material: Chrome-nickel steel

Code-No. 711319
GTIN 4015613695990

Electric cooker 600 2PLTG



CNS
18/10



- Power load: 4 kW | 400 V | 50 Hz
- Type: Table-top unit
- Material: CNS 18/10
- Important information: -
- Equipment connection: 2 NAC
- Height-adjustable feet: No
- Properties: -

Code-No. 131723
GTIN 4015613690094

Induction wok IW35



STAINLESS
STEEL

3,5 kW



- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Touch Electronic
- Series: -

Code-No. 105986
GTIN 4015613680217

Induction cooker IK 30TC-1



STAINLESS
STEEL

3,0 kW



- Temperature range: 60 °C to 240 °C
- Power load: 3 kW | 230 V | 50-60 Hz
- Material: Stainless steel
- Intervals time setting: 1 minute / 10 minutes
- Time adjustment: 1 to 180 minutes
- Important information: -
- Number of temperature levels: 10

Code-No. 105991
GTIN 4015613698946

Front cooking station KST3240 Plus

Add on Products

Induction cooker IK 30TCS-1



- Intervals time setting: 1 minute / 10 minutes
- Temperature range: 60 °C to 240 °C
- Power load: 3 kW | 230 V | 50-60 Hz
- Material: Stainless steel
- Time adjustment: 1 to 180 minutes
- Important information: -
- Number of temperature levels: 10

Code-No. 105991S
GTIN 4015613714882

Induction wok 30/293



- Power load: 3 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Type of hobs: Induction
- Series: -

Code-No. 105871
GTIN 4015613712635

Induction wok 35/293



- Power load: 3,5 kW | 230 V | 50/60 Hz
- Control unit: Electronic Toggle
- Type of hobs: Induction
- Series: -
- Overheating protection: Yes
- Digital display: Yes

Code-No. 105872
GTIN 4015613712642

Induction wok IW 35 PRO-2



- Material: Stainless steel
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Can be installed: No
- Important information: -
- Equipment connection: Pluggable
- Control unit: Touch Electronic

Code-No. 105732
GTIN 4015613706498

Front cooking station KST3240 Plus

Add on Products

Induction stove ITH 35-265



STAINLESS
STEEL

3,5 kW



- Diameter hob(s): 265 mm
- Output hob(s) max.: 3500 W
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Number of hobs: 1

Code-No. 105994
GTIN 4015613712680

Oil and grease remover F1L



- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Order quantity unit: 1 box (6 bottles)

Code-No. 173276
GTIN 4015613761176